

## PRODUCT-DETAILS

# ACS310-03E-02A1-4

# ACS310-03E-02A1-4 Pn 0,55, I2n 2,1A IP20



## General Information

|                         |                                          |
|-------------------------|------------------------------------------|
| Global Commercial Alias | ACS310-03E-02A1-4                        |
| Product ID              | 3AUA0000039626                           |
| ABB Type Designation    | ACS310-03E-02A1-4                        |
| EAN                     | 6410038785727                            |
| Catalog Description     | ACS310-03E-02A1-4 Pn 0,55, I2n 2,1A IP20 |

## Ordering

|                         |                                                         |
|-------------------------|---------------------------------------------------------|
| Country of Origin       | China (CN)<br>Finland (FI)                              |
| Customs Tariff Number   | 85044084                                                |
| EAN                     | 6410038785727                                           |
| Invoice Description     | ACS310-03E-02A1-4 Pn 0,55, I2n 2,1A IP20                |
| Made To Order           | No                                                      |
| Minimum Order Quantity  | 1 piece                                                 |
| Order Multiple          | 1 piece                                                 |
| Quote Only              | No                                                      |
| Selling Unit of Measure | piece                                                   |
| Stocked At (Warehouses) | Central Stock Europe<br>Central Stock Asia<br>FIPSEEXPU |

US Drive Services  
FIPSEEXPU014  
SGRDC002EXPU  
CNIAB001EXPU  
SGIND002EXPU  
JPABB001EXPU  
AUABB024EXPU  
SGIND005EXPU

---

## Dimensions

|                    |        |
|--------------------|--------|
| Product Net Height | 344 mm |
| Product Net Length | 217 mm |
| Product Net Weight | 1.7 kg |
| Product Net Width  | 132 mm |

---

## Technical

|                                  |               |
|----------------------------------|---------------|
| Enclosure Class                  | IP20          |
| Frequency (f)                    | 50/60 Hz      |
| Input Voltage ( $U_{in}$ )       | 380 ... 480 V |
| Mounting Type                    | Wall-mounted  |
| Number of Phases                 | 3             |
| Output Current, Normal Use       | 2.1 A         |
| Output Power, Light-Overload Use | 0.55 kW       |
| Output Power, Normal Use         | 0.55 kW       |

---

## Additional Information

|                   |                     |
|-------------------|---------------------|
| Product Main Type | ACS310              |
| Product Name      | Frequency converter |

---

## Classifications

|                |        |
|----------------|--------|
| Product Series | ACS310 |
|----------------|--------|

---

## Categories

Drives → Low voltage AC drives → General purpose drives → ACS310 - Drive module for pumps and fans

